

Chapter 9 – MM/Search Extensions for Object-Relational DBMS



(OR-)DBMS-Support for Content-based Search

- Search engine coupling
 - separate, external search engine for content-based retrieval
- Integrated search support
 - utilization of "conventional" index support (e.g., b*-trees)
 - "high-level indexing"
 - specialized (multi-dimensional) index support
- Extensible indexing support

Coupling of External Search Engines

- Shallow Integration
 - Loose coupling of DB search and content-specific search/retrieval
 - content search engine is not integrated into DBMS
 - well-defined interfaces and interaction
 - Index data for media objects may still reside outside the DBMS
 - index is accessed during query evaluation by calling out to external search engine
 - Location/storage of media objects is not impacted
 - inside the DB, or outside (e.g., as a file)
- Motivation
 - lack of appropriate index support in the DBMS
 - adding new index support is complex, expensive
 - optimized external search engine exists
 - costly migration
- Potential problems
 - integrity
 - usability (in search and administration)
 - performance



© Prof.Dr.-Ing. Stefan DeBiloch

3

Digital Libraries and Content Management

Example: DB2 Text Extender

- Text is stored in char column (long varchar, CLOB, ...) or anything that can be used to "produce" character strings
 - structured type (SQL/MM)
 - external storage
- Search using scalar UDFs
 - CONTAINS
 - SCORE
 - NUMBER_OF_MATCHES
- Remember: preprocessing is expensive!
 - CONTAINS function always needs to access an external text index
 - performance issues
 - updates, inserts on text columns become expensive
 - asynchronous index updates
 - decoupled from column update

Projects

proj-no	title	budget	description
123	'...'	200000	'This project ..'
456	'...'	400000	'Objects are...'
789	'...'	700000	'A database...'

```
SELECT proj-no, title
FROM compschema.projects
WHERE contains (description,
' "database"
IN SAME SENTENCE AS
"object-relational" ') = 1
```




© Prof.Dr.-Ing. Stefan DeBiloch

4

Digital Libraries and Content Management

Text Extender System Architecture

- Text index is stored outside the DB under control of text search engine (TSE)
 - index scope: all documents in a text column
 - primary key of table used as document id
- Separate TSE process for building and incrementally updating the text index
 - configuration of update interval, etc.
- Each index has a log table in the DB
 - holds information about updates that need to be reflected in the index
 - populated using DB-triggers
 - used by asynchronous index update process
- Search UDF (implemented as a C function) calls text engine, which returns a list of doc-ids
 - may "miss" the latest updates!



Search – Performance Problems

- Scalar UDFs (contains, etc.)
 - calls text search engine to retrieve search result list
 - checks whether the document id is in that list
 - or returns the score, #of matches
 - for each tuple in PROJECTS!
- First (big) improvement:
 - UDF can 'buffer' the result list to reduce text engine API calls
 - TSE API only needs to be invoked for the first tuple in PROJECTS
- But: the DB engine still calls the UDF for every row!
 - table scan
 - invocation overhead

Projects

proj-no	title	budget	description
123	'...'	200000	'This project ..'
456	'...'	400000	'Objects are...'
789	'...'	700000	'A database...'

```
SELECT proj-no, title
FROM compschema.projects
WHERE contains (description,
' "database"
IN SAME SENTENCE AS
"object-relational" ') = 1
```

Search Using Table Functions

- Table function (TF)
 - (user-defined) function that returns a table structure instead of a single scalar value
 - can be invoked in the FROM clause of a SELECT statement using special syntax
- Text search TF interacts with TSE, returns search results for specific index
 - input parameters for
 - scope of the text search (external index name or name of indexed table, column)
 - text search pattern
 - optional parameters for limiting the result set
 - result table has columns holding
 - primary key value (document id)
 - score (optional), number of matches (optional)
- Example

```
SELECT p.proj-no, p.title
FROM compschema.projects p,
TABLE(containstable('COMPSCHEMA', 'PROJECTS', 'DESCRIPTION',
  'database' IN SAME SENTENCE AS 'object-relational' )) AS restab
WHERE p.proj-no = restab.primarykey
```

Table Functions - Evaluation

- Advantages
 - performance!
 - avoids table scan
- Disadvantages: usability!
 - asks end-user to make choice for the optimizer
 - in some situations, using the scalar function results in a better plan
 - lack of transparency
 - two different syntax alternatives for the same query
 - use of table functions
 - not "intuitive" to write
 - requires join of function result with document table, complicating the queries
 - potential lack of support by query tools, data access tools
 - view transparency lost
 - view definition may access multiple tables with text columns
 - involves multiple indexes, based on the base table columns
 - user has to know view definitions

Query Rewrite/Optimization Support

- Optimizer is made aware of additional rewrite options
 - users continue to use scalar functions for better usability
 - internally, the query is rewritten to exploit table function for better performance
- Based on correspondences
 - scalar function to table function
 - parameter correspondences
 - search argument
 - document/primary key columns
 - meta data
 - table/columns names as TF parameters
 - either hard-wired, or through syntax extensions in "CREATE FUNCTION"
- Further optimization opportunities
 - multiple scalar functions in the same query mapped to the same TF
 - predicate/sorting "push-down"

```
SELECT proj-no, title
FROM compschema.projects
WHERE contains (description,
' "database" IN SAME SENTENCE AS
"object-relational" ') = 1
```

```
SELECT p.proj-no, p.title
FROM compschema.projects p,
TABLE(containsstable(
'COMPSHEMA', 'PROJECTS',
'DESCRIPTION',
' "database" IN SAME SENTENCE AS
"object-relational" ')) AS restab
WHERE p.proj-no = restab.primarykey
```




© Prof.Dr.-Ing. Stefan DeBloch

9

Digital Libraries and Content Management

High-Level Indexing - Motivation

- Existing DB index mechanisms (e.g., b*-tree) may not support content search predicates directly (e.g., within (shape, shape), overlaps (shape, shape) for spatial)
- But it may be possible to exploit them to a certain degree
- Example: spatial search
 - define a coordinate grid
 - b*-tree index entries for shape
 - grid cell coordinates
 - min. bound. rectangle (mbr)
 - for each cell touched by mbr
 - Search can be done in stages
 - compute grid cells, mbr for search argument ('CA')
 - search index with cell coordinates as arguments
 - filter false positives based on mbr, eliminate duplicates
 - compute final result using exact shape



© Prof.Dr.-Ing. Stefan DeBloch

10

Digital Libraries and Content Management


Spatial Indexing Requirements

- Index type for 'reuse' in index creation
- Index entries
 - Not useful to store complete shape object in the index
 - Should contain information extracted from a shape object
 - grid cell coordinates
 - minimum bounding rectangle information
 - Multiple index entries for a single shape object have to be supported
 - a shape object may 'appear' in multiple grid cells
- Index exploitation (search)
 - flexible search method for mapping a 'query shape' to a range search on the index
 - multiple levels of search (result set filtering)
 - grid coordinate match
 - mbr overlap or containment
 - full geometric overlap or containment
 - multiple search methods for the same index extension
 - overlap or containment
- Index parameters
 - grid levels (determines granularity of the grid)
 - grid levels may vary for individual indexes


Index Extension Support

- Builds on top of existing B-Tree support
 - index plug-ins
- DDL for creating named index extensions
 - define parameters to be supplied at 'create index' time
 - specify mapping of UDT to (multiple) index entries (Key Transformer)
 - define search methods that map a 'query literal' to a set of ranges over the index (Range Producers)
 - provide filter functionality that further reduces answer set during index lookup (IDX Filter)
- Specify how search UDFs can be mapped to search methods of the index extension
 - extended CREATE FUNCTION syntax to provide Predicate Specification, Index Exploitation
 - provide filter functionality that further reduces answer set during DMS predicate evaluation (DMS Filter)
- Extended 'CREATE INDEX' to allow usage of index extensions
 - create index using an index extension
 - supply required parameters (e.g., grid scale)

Index Extension Architecture - DDL



Index Extension Architecture - Query



Extensibility – User-defined Access Methods

- ORDBMS provides support for user-defined access methods
 - primary access methods
 - relational table interface for direct read/write access
 - data may be stored outside the DB
 - secondary access methods
 - index structure to support key-based retrieval of rows in a table
 - index entries may reside outside the DB
- Based on generic interfaces
 - developers can supply their own implementation of access method APIs
 - implementation may utilize storage services of the DBMS (e.g., BLOB storage)
- Example: IBM Informix Dynamic Server virtual tables/indexes
 - pioneered in POSTGRES DBMS
 - Oracle (Data Options) offers similar capabilities

Virtual Indexes in Informix Dynamic Server

- Virtual Index Interface
 - purpose functions
 - functionality to build, connect to, populate, query, and update the index
 - includes cost information for the optimizer
 - called by DBMS server to pass SQL statement specifications to the access method
 - example: CREATE INDEX ...
 - to be implemented by the access method developer
 - descriptors
 - predefined data types used to exchange information
 - e.g., qualification descriptor contains a data structure describing the content of the WHERE-clause
 - parameters for API calls
 - accessor functions
 - obtain specific information from the descriptors
 - supplied by the DBMS
- Programmer is responsible for implementing
 - index functionality (see above)
 - concurrency control on index
 - logging/recovery, unless index data resides in DB BLOBs

Important Purpose Functions - Overview

Invoking Statement	Purpose Function
all	am_open(MI_AM_TABLE_DESC *) am_close(MI_AM_TABLE_DESC *)
CREATE INDEX	am_create(MI_AM_TABLE_DESC *) am_insert(MI_AM_TABLE_DESC *, MI_ROW *, MI_AM_ROWID_DESC *)
DROP INDEX	am_drop(MI_AM_TABLE_DESC *)
INSERT	am_insert(MI_AM_TABLE_DESC *, MI_ROW *, MI_AM_ROWID_DESC *)
DELETE	am_delete(MI_AM_TABLE_DESC *, MI_ROW *, MI_AM_ROWID_DESC *)
SELECT INSERT, UPDATE, DELETE WHERE...	am_scafcost(MI_AM_TABLE_DESC *, MI_AM_QUAL_DESC *) am_beginscan(MI_AM_SCAN_DESC *) am_getnext(MI_AM_SCAN_DESC *, MI_ROW **, MI_AM_ROWID_DESC *) am_endscan(MI_AM_SCAN_DESC *)
SELECT with join	am_rescan(MI_AM_SCAN_DESC *)
UPDATE	am_update(MI_AM_TABLE_DESC *, MI_ROW *, MI_AM_ROWID_DESC *, MI_ROW *, MI_AM_ROWID_DESC *)
UPDATE STATISTICS	am_stats(MI_AM_TABLE_DESC *, MI_AM_ISTATS_DESC *)

Operator Classes

- Operator class connects SQL operators, predicates, data types to an access method
 - which data types can be indexed using a specific secondary access method?
 - what predicates can be supported by the index?
 - how can the optimizer be provided with statistics?
- Two types of functions
 - strategy functions
 - needed for optimizer to decide whether an index can be used for a specific operation on a data type
 - lists operators that appear in SQL (e.g., "=", "contains", ...) and are supported by the index
 - support functions
 - called by the access method, e.g., to traverse the index and obtain the results
 - example: "compare keys" for a B-tree index
- Similar to high-level indexing for B-trees, but supports user-defined access methods as well!

Extensibility – Generalized Search Trees

- Generalized Search Tree (GiST)
 - generalization of tree-based index structures
 - e.g., B*-tree, R-tree can be seen as special cases
 - framework
 - provides implementation of common, generic index functionality
 - adapted by providing/registering a *key class* implementation with six methods
- Common GiST properties
 - balanced tree, high fanout
 - internal nodes are used as a **directory**
 - series of keys, pointers
 - leaf nodes point to the actual data
 - linked list storage
 - search for tuples that match a query predicate:
 - starting at the root, for each pointer on the node, if the associated key is consistent with the query predicate, then traverse the subtree
 - requirement: key must match every data item (transitively) stored "below" it

may be an arbitrary 'predicate' that holds for each datum below the key, e.g., an integer range, or a bounding box

GiST Key Methods and Tree Methods

- Key Methods (to be provided as an extension)
 - consistent (entry, predicate)
 - false, if conjunction of key and query predicate is unsatisfiable
 - may return false positives
 - union (set of entries)
 - return predicate that holds for the union of all tuples stored 'below' all of the entries
 - penalty (entry1, entry2)
 - domain-specific cost (penalty) for inserting entry2 into entry 1 subtree
 - aids split and insert algorithms
 - picksplit (set of entries)
 - splits set of entries into two sets of entries
 - compress
 - decompress
- Tree methods (provided by framework)
 - search
 - uses "consistent()"
 - search in linear ordered domains (findMin, Next)
 - uses "consistent()"
 - requires further ordering guarantees, "compare" method implementation
 - insert (insert, chooseSubtree, split, adjustKeys)
 - uses "penalty", "pickSplit", "union"
 - maintains tree balance
 - delete
 - uses "union"


Commercial Systems

- Database Extenders (IBM DB2)
 - data types and functions
 - Text Search, Net Search Extender
 - Image, Audio, Video Extender
 - Spatial Extender (ESRI)
 - utilize search engine coupling, high-level indexing approaches
- Data Blades (Illustra, IBM Informix Universal Server)
 - collection of data types and associated functions
 - Text, Spatial, Geodetic, Image Foundation, Video Foundation, Visual Information Retrieval (Virage)
 - utilize virtual indexes, operator classes, R-tree specialized index structure
 - largely provided by business partners, certified by IBM/Informix
- Data Options (Oracle)
 - interMedia (text, image, audio, video), Spatial, Visual Information Retrieval
 - utilize virtual index approach
- Status
 - similar functionality, but only partial standardization

DB2 Extender – Application View

Non-MM-Daten					Integration of MM-Daten			
Artist	Title	Sold	On-Hand	Rating				
Lizzi	Decisions	165	52	1				
Dwayne Miller	Earthkids	76	100	3				
Nitecry	Run for Cover	65	30	7				

- Complex data types
- New functions
- Integrated search
- Open architecture



Extended Data Model (Example: Image Extender)




Image Extender: Overview

- Attributes stored in side tables, accessible through UDFs
 - format, thumbnail, length, width, ...
- Support for common image formats
 - (BMP, EPS, EP2, GIF, IMG, IPS, JPG, PCX, PGM, PS, PSC, PS2, TIF, YUG, ...)
- Format conversion routines
- Support for internal and external storage of media objects
- Utilizes the Query by Image Content (QBIC) search engine
 - average color, color histogram, positional color, texture
 - features are extracted in an explicit catalog run, then available for search
- Ranking (scoring) of search results

Video Extender: Overview

- Supported (searchable) attributes:
 - format, duration, number of frames, ...
- Support for AVI, MPEG1, MPEG2, QT
- DB-storage for store-and-forward playback
- External media-server storage for realtime playback
- Import, export and update of videos
- Support for Video Shot Change Detection
 - shot detection, management of a shot catalog in the DB, extraction of frames
- In combination with QBIC:
 - "Find the sunset shot in the video most similar to a given image and start playback at that shot"

Summary

- ORDBMS architectures and support for MM-search
 - cannot be limited to provision of data types and functions
 - requires additional infrastructure for efficient content-based search
- Search engine coupling
 - separate, external search engine for content-based retrieval
 - cost, utilization and protection of competitive, optimized search engines
 - table functions, query rewrite approaches for performance/usability improvements
- Integrated search support
 - utilization of "conventional" index support (e.g., b*-trees)
 - "high-level indexing" that provides mapping of UDTs and predicated to index capabilities
 - multi-level search
 - specialized (multi-dimensional) index support
- Extensible indexing support
 - virtual indexes/access methods
 - need to implement "purpose functions" for index operations, index maintenance
 - rather complex undertaking (locking, recovery, ...)
 - most powerful and flexible approach
 - generalized search trees (GIST)
 - reduced programming effort through search tree framework, class library
- Commercial ORDBMS support
 - IBM DB2 Extenders, IBM Informix Data Blades, Oracle Data Options