

Enterprise Information Systems

Chapter 1 – Motivation & Introduction



EIS – Main Focus Is On Integration

- Data/Information Integration
 - integrated access to (heterogeneous) data originating from multiple sources
 - queries range over data from multiple DBs!
 - virtual integration: integrate on access/query (e.g., federated DBMS)
 - materialized integration: extract, transform, load data into a single materialized data warehouse in advance (e.g., data replication, data warehousing)
 - needs a strong foundation to overcome multiple kinds of heterogeneity
- Enterprise Application Integration
 - integration of (heterogeneous, coarse-grained) applications within an enterprise (vs. development of new application)
 - integration across different middleware platforms
- Business-to-business Integration
 - support interactions, integration of business processes among trading partners, across company boundaries
 - foundation for e-business, e-commerce

Integration Challenges

- Goal of Integration:
Provide a homogeneous, integrated view on multiple, distributed, autonomous and heterogeneous systems, components, or data sources.
- Three fundamental challenges:
 - Distribution
 - Autonomy
 - Heterogeneity
- Orthogonal, but interrelated

Let's look at the above challenges in the scope of data/information integration!

Distribution

- Physical distribution
 - Data located on (geographically) separated systems
 - Challenges:
 - Addressing data across the globe (URLs)
 - Accessing data in different schemas (Multi-database languages, federated database systems)
 - Optimizing distributed queries (no topic of this lecture)
- Logical distribution
 - Several possible storage locations for a given data item
 - Caused by (partial) redundancy due to overlapping intension of schema elements
 - Challenges:
 - Maintaining consistency among redundant data
 - Provide metadata to enable data localization
 - Detect and resolve duplicates
 - Detect and resolve data inconsistencies and conflicts
- Physical and logical distribution are orthogonal:
 - Data can be logically distributed and physically on the same system (and vice versa)

} Data Cleaning



Autonomy

- Design Autonomy
 - Administrators of data sources can freely decide in which way they model data
 - Data model, formats, units, ...
 - Leads to heterogeneity among sources
- Interface Autonomy
 - Freedom to decide how technical access is provided
 - Protocols (HTTP, JDBC, SOAP, ...), supported query languages (SQL, XQuery, ...)
- Access Autonomy
 - Freedom to decide *whom* to allow access to *what* data
 - Mode of Authentication (Certificates, Username/Password)
 - Authorization (boolean, R/W, Access Control Lists, ...)
- Judicial Autonomy
 - Freedom to prohibit integration of data by others
 - Intellectual property (IP) issues

⇒ Autonomy is the major cause of integration problems

Heterogeneity

- Translated from [LeNa07]:
"Two information systems that do not provide the exact same methods, models and structures to access their data are called heterogeneous."
- Causes for heterogeneity among IS:
 - Specific requirements
 - Independent development
 - Developer preferences
 - ...➔ All aspects result from autonomy
- Heterogeneity of metadata *and* data
- Two main approaches:
 - Try to resolve heterogeneity when needed
 - Enforce homogeneity/limit heterogeneity by establishing standards (not in this lecture)
 - No real solution to the problem
 - Only creates "spheres of homogeneity", any participants that have existing systems or requirements not conforming to the standards have to resolve heterogeneity locally

Technical Heterogeneity

- Refers to differences in the options to access data, e.g.
 - Communication protocols (HTTP, SOAP, ...)
 - Exchange formats (binary, text, XML, ...)
 - APIs (JDBC, ODBC, proprietary)
 - Query mechanism
 - Forms, canned queries
 - Query languages
 - Query language
 - SQL, XQuery, ...

Data Model Heterogeneity

- Caused by the use of different data models among data sources
 - hierarchical, relational, object-relational, object-oriented, XML, ...
- Data models can have different expressiveness, e.g. support of
 - Inheritance
 - Types and degree of associations between entities/application concepts
 - Multi-valued attributes
 - Different atomic data types
- Mapping from semantically richer to poorer models in general results in a loss of information

Syntactic Heterogeneity

- Differences in the representation of identical facts
 - Binary representations (little/big endian, number formats)
 - Encodings (ASCII, ISO-8859-1, EBCDIC, Unicode, ...)
 - Separators (Tab-delimited vs. CSV)
 - Textual representation
- Not to be mixed up with semantic heterogeneity!
- Usually easy to resolve (if used consistently)
- Examples:
 - "20070201" vs. "Februar 1st, 2007" vs. "02-01-07" vs. "1.2.2007"
 - "123.45" vs. "1.2345x10²"
- ➔ *Data Fusion*

Structural Heterogeneity


- Caused by **modeling identical application concepts differently** using the *same* modelling concepts in the same data model
- Example - denormalized relational schema

Employee

<u>EmpNo</u>	Name	DoB	<u>DeptNo</u>
4711	Bob	1978-03-20	11
0815	Jane	1975-11-05	7
1234	Joe	1954-05-26	11

Department

<u>DeptNo</u>	Name
7	Sales
11	Accounting



EmpDept

<u>EmpNo</u>	Name	DoB	Deptname	DeptNo
4711	Bob	1978-03-20	Accounting	11
0815	Jane	1975-11-05	Sales	7
1234	Joe	1954-05-26	Accounting	11


- Easily resolved using relational operators:

```
SELECT e.EmpNo, e.Name, e.DoB, d.name as deptname, d.deptno
FROM Employee e, Department d WHERE e.deptno = d.deptno
```

Structural Heterogeneity (cont.)

- Example: inverted hierarchy

```
<bib>
  <book title="a">
    <author name="x"/>
    <author name="y"/>
  </book>
  <book title="b">
    <author name="x"/>
  </book>
</bib>
```



```
<bib>
  <author name="y">
    <book title="a"/>
  </author>
  <author name="x">
    <book title="a"/>
    <book title="b"/>
  </author>
</bib>
```


- Easily resolved using XQuery

```
<bib> {
  for $a in distinct-values(doc("BookAuthor.xml")//author/@name)
  return <author name="{ $a }"> {
    for $b in doc("BookAuthor.xml")//book
    where $b/author/@name = $a
    return <book title="{ $b/@title }"/>
  } </author>
} </bib>
```



Schematic Heterogeneity

- Often considered a special case of structural heterogeneity
- Caused by modeling identical application concepts using *different data model concepts* of the same data model
- Example: *attribute value – relation name* conflict



- Problems of this kind cannot be resolved *generically* with SQL
 - How to handle an unknown/variable number of values for categorical attributes?

Semantic Heterogeneity

- “Semantics” = interpretation of data and metadata
- Different representation of identical application concepts, (e.g. synonyms)
- Identical representation of different application concepts (e.g. homonyms)
 - e.g. Lotus (the car) vs. Lotus (the flower)
- Ambiguities – unclear whether two elements refer to the same concept (are synonyms) or refer to broader/narrower terms (hypernyms)
 - hypernym or synonym?
 - car – (motor) vehicle
 - person – employee
 - product – item
 - decision depending on context
- Perhaps *the* biggest challenge in II
- Resolving semantic heterogeneity is a prerequisite for many integration tasks
- Many attempts to automate
 - ➔ *Schema Matching*


Data Integration Middleware

- Traditional Middleware (shortcomings)
 - supports access to multiple data sources within the same application, transaction
 - directly (using DB-gateways)
 - indirectly (by invoking distributed application components)
 - but fails to provide data integration
 - no means to analyze/query data from multiple sources within the same statement

```
SELECT *
FROM Source1-table T1, Source2-table T2
WHERE T1.a1 = ...
      AND
      T1.a2 = T2.a1
```
 - does not help to overcome data heterogeneity
- Two architectural approaches to achieve data integration
 - materialized integration: replication, data warehousing
 - virtual integration: federated DBMS, multi-database systems


Data Federation: Logical (Virtual) Integration

- Goal: homogeneous, integrated view of data from multiple sources
 - illusion of a single (logical) database
 - a single query may collect (or join) data from multiple sources
- "On-Demand" Data Integration
 - data stays where it is (in the sources)
 - not copied into a new DB
 - data is transformed/integrated at query time
 - integration server combines results from data source queries
- Data Federation requires
 - Wrapper/mediator technology
 - Data and schema integration mechanisms




Example - DB2 Relational Connect

```
Select *  
From Cust, SJBR, SFBR  
Where Cust.Acct No = SJBR.Acct No  
And SJBR.Acct No = SFBR.Acct No
```




Standard – SQL/MED

- 'Foreign Data Wrapper' in 'SQL/MED'



Data Warehouse: Physical (Materialized) Integration



Integration Process

- Schema Matching
 - Find inter-schema correspondences
- Schema Mapping
 - Based on correspondences
 - Define how to "translate" one schema into another
 - implies data transformation
- Schema Integration
 - Based on correspondences (and mapping)
 - Define an integrated, global/federated schema

→ Integration Plan!


- Integration plan can then be "implemented" using middleware for virtual or materialized data integration

Enterprise Application Integration


- Focus on application integration within an enterprise (vs. development of new application)
 - integration across different middleware platforms
 - major shift towards asynchronous interactions (**M**essage-**O**riented **M**iddleware)
- Message Brokers
 - based on MOM
 - hub-and-spoke (instead of point-to-point)
 - publish and subscribe model to link applications together
- Business Process Modeling and Workflow Management Systems
 - make integration logic explicit, easy to modify/extend
 - "programming in the large"

Message-Oriented Middleware (MOM)


- Message-oriented interoperability
 - programming model: asynchronous message exchange
- Support for persistent, transactional message queues
 - asynchronous transactions
 - reliable messaging
- Optimizing throughput, not response time
- Loosely-coupled application components
 - “client” not blocked during request processing
 - “server” may chose request processing time more flexibly
 - may not even be available at request enqueue time




Message Brokering – Processing Model



Workflow-Based Applications: Structure



Workflows And External Communications




- Customers invoke company's applications to perform certain steps of the business process
 - E.g. place on order, inquire status,...
 - Company's applications must get a browser-based front-end for that purpose ("web-up")
- Workflow activities may directly communicate with the outside
 - Send e-mail, faxes, messages,...
- Workflow activities may trigger actions in another company
 - Simple invocation of program or start of another workflow ("subprocess" from invokers point-of-view)
 - Such "business-to-business" scenarios are the base for realizing sophisticated "supply chains"

Business-To-Business (B2B) Integration

- Goal: facilitate interaction among trading partners, across companies
 - Establish relation between processes of different enterprises
 - Predominant are relation to suppliers, and customer relations to other enterprises like industrial consumers, retailers, banks
- Traditional B2B has focused on well-defined, standard message formats and protocols (e.g., RosettaNet, cXML)
 - Ad hoc B2B occurs today via XML over HTTP
- How to publish business functions to customers, partners and suppliers?
 - E.g. access to reservation systems, quote systems
 - Programmatic access to a service, independent of underlying implementation and client software
- Web services, service-oriented architectures play a dominant role!


Web Services & Business Processes

- Business process making use of web services
- Business process externalized as a web service
- Long-running transactions
- Compensation
- Correlation
- Dynamic Binding of business partners and web services



e-Business Collaboration

- Example: ebXML



Summary

- Middleware
 - supports the development, deployment, and execution of complex information systems
 - facilitates **interaction** between and **integration** of applications **across multiple distributed, heterogeneous platforms and data sources**
- Major challenges: distribution, autonomy, heterogeneity
 - different forms of (data) heterogeneity
- Data/Information Integration
 - integrated access to (heterogeneous) data originating from multiple sources
- Enterprise Application Integration
 - integration of (heterogeneous, coarse-grained) applications within an enterprise (vs. development of new application)
 - integration across different middleware platforms
- Business-to-business Integration
 - support interactions, integration of business processes among trading partners, across company boundaries
 - foundation for e-business, e-commerce